

# Subject index

- Actinolite 68, 121, 179f.  
activity ratios, fluids 349f.  
Adamello vein, REE minerals 63f.  
aegirine 256  
aeschynite-(Ce) 83f.  
åkermanite 385f.  
albite 121, 179, 280, 297, 343  
albite stability 288  
allivalite 243  
almandine 269  
Al-Si disorder, grosspyrite sanidine,  
T estimates 363f.  
amblygonite 281  
amphibole 3, 68, 265  
-, eclogite 464  
-, REE contents, komatiites 74  
amphibole fractionation, influence on  
andesite 101f.  
amphiboles, crystal chemistry 178f.  
amphibolite 48, 263f., 466  
anastomosis 560  
andalusite 204  
andesite 21f., 186, 229  
andesite crystallization, fractionation  
models 116  
andesite tephra 101f.  
anhydrite 123  
anorthite 563  
anorthoclase 3f.  
anorthosite 429  
antigorite 331  
anti-perthite 267  
apatite 83f., 153, 280, 430f.  
arc magmas 341f.  
Ar isotope dating, micas, Gummfluh  
klippe 444  
assimilation, Aeolian volcanic rocks 458  
-, isotopic evidence 219f.  
-, MORB wall rocks by Lanai tholeiites  
530  
augen gneiss 67  
augite 103f., 197f., 265  
awaruite 331f.  
Ba/La, silicic tephra 106  
banded eclogites 343f.  
barroisite 190, 343  
basalt 2f., 171  
-, melting relations 196f.  
basaltic andesite 21f., 220f., 452  
-, origin, Hekla 26f.  
basalt/seawater interaction 119f.  
basalt tetrahedron 198  
biotite 152, 204, 394, 478, 560  
blueschist 179f.  
brucite 331  
brunsvigite 283  
buergerite 212  
bytowite troctolite 243  
Calcite 84, 296f., 385f.  
-, marble, C-O isotope data 444  
-, metasediments, O isotope data 51f.  
-, self-diffusion, C-O 35  
calcite/graphite/CO<sub>2</sub>, C isotope  
partitioning 35f.  
calc-mylonites 295f.  
calc-silicate gneiss 49  
Ca-Na amphibole lamellae 185  
cassiterite 280, 372  
chalcocite 335  
chemical analysis  
-, aeschynite-(Ce), Adamello 92  
-, amphiboles 186f.  
-, -, coexist, glaucophane/Ca-  
amphiboles 189  
-, -, eclogite 470  
-, -, komatiites 73  
-, -, KTB pilot hole 270  
-, antigorite, Malenco 334  
-, apatite, Adamello vein 94  
-, -, fault zones 153  
-, augite, alkalic basalts 197  
-, awaruite, Malenco 335  
-, biotite, fault zones 153  
-, brucite, Malenco 334  
-, chalcocite, Malenco 336  
-, chilled margins, picrites 232  
-, chlorite, altered basalt 128  
-, -, komatiites 73  
-, -, low-grade metasediments 205  
-, chlorite/corrensite, altered basalt 125  
-, chlorite/smectite mixed layer, altered  
basalt 123  
-, clinker, Wyoming 560  
-, clinopyroxenes, Adak tephra 104  
-, -, KTB pilot hole 266  
-, -, Oldoinyo Lengai-xenoliths 256  
-, clinozoisite, Tauern eclogites 347  
-, coesite, grosspyrite 359  
-, cordierite lava, Lipari 455  
-, corrensite, altered basalt 125  
-, diopside, Malenco 335  
-, dolomite, Tauern eclogites 347  
-, eclogite 467  
-, -, KTB pilot hole 263  
-, gabbroic pegmatites, granophyre  
zone 433  
-, garnets, eclogites 347, 469  
-, -, grosspyrite 359  
-, -, KTB pilot hole 266  
-, glass, Aleutian tephra 109  
-, -, Baffin lavas 235  
-, gneiss, Mont. Noire 374  
-, granite, fresh and altered 284  
-, heazlewoodite, Malenco 335  
-, high-MgO basalts, Olmök Isl. 503  
-, hornblende, tephra 103  
-, ilmenite, komatiites 73  
-, komatiite, Siivikkavaara 69  
-, lavas, Lanai 525f.  
-, magnetite, Malenco 335  
-, metagabbros, KTB pilot hole 263  
-, micas, Oldoinyo Lengai-xenoliths 257  
-, mica schists, Mont. Noire 374  
-, MORB 467  
-, muscovite, low-grade metasediments  
205  
-, Na-poor eclogite 467  
-, nepheline, Oldoinyo Lengai-xenoliths  
257  
-, olivine, Malenco 334  
-, -, skye layered intrusions 248  
-, omphacite, eclogites 347, 469  
-, -, grosspyrite 359  
orthopyroxene, Adak tephra 104  
-, paralava, Wyoming 560  
-, pentlandite, Malenco 335  
-, phengite, eclogites 347, 470  
-, plagioclase, Adak tephra 105  
-, -, komatiites 73  
-, -, low-grade metasediments 205  
-, -, Skye layered intrusions 248  
-, saponite, altered basalt 123  
-, scapolite, eclogite 470  
-, silicic tephra, Aleutians 106f.  
-, spinels, Oldoinyo Lengai-xenoliths  
257  
-, -, Skye layered intrusions 246  
-, talc, altered basalt 128  
-, Ti-magnetite, Adak tephra 106  
-, titanite, Adamello vein 95  
-, tourmalines, low-grade metasedi-  
ments 210  
-, volcanic rocks, Aeolian Isl. 455  
-, zirconolite, Adamello vein 86  
chert 204  
chilled margins, picrites 231f.  
chimneys, coal combustion 559f.  
chlorite 68, 122, 204, 267, 560  
Chlorite/corrensite mixed layer 125  
chlorite/smectite mixed layer 123f.  
chromite 139, 247  
chrysotile 331  
C isotope data, metasediments 49f.  
C isotope partitioning, calcite/graphite/  
CO<sub>2</sub> 35f.  
C isotope profile, Giarus thrust 298f.  
clinker, combustion metamorphism  
558f.  
clinker-paralava interface 563f.  
clinohumite 84, 330  
clinopyroxene 22, 49, 105, 121, 220, 231,  
243, 251, 255f., 264f., 359, 373, 464,  
502, 524  
clinozoisite 343f., 373  
closure temperature, diffusion 548  
CO<sub>2</sub> activity ratios, eclogites 349  
coal combustion 558f.  
CO<sub>2</sub>/calcite, C isotope fractionation 37f.  
coesite, grosspyrite 359f.  
collision, continents 342  
color change, shale combustion 558  
combustion metamorphism 558f.  
contact metamorphism 385f.  
-, coal combustion 559f.  
contamination, basaltic lavas 225f.  
cookeite 287  
cordierite 394  
-, metapelites, fluid inclusions 396f.  
coronas, garnets in metagabbros 273  
corrensite, altered basalt 124f.  
Cr diffusion, garnets 143  
cristobalite 560  
Cr<sub>2</sub>O<sub>3</sub>, garnet zonation 138f.  
Cr-spinels, ultrabasic layered intrusions  
242f.  
crustal contamination, Baffin lavas 237

- crystallization, basalts 196f.  
 -, magma mixing 11  
 crystallization conditions, Aleutian silicic lavas 111f.  
 cumingtonite, exsolution lamellae in actinolite 189  
 cumulate gabbro 430f.  
 cumulates, Skye layered intrusions 243f.  
 cumulus minerals, basalt magma chamber 312f.  
 -, Cr-spinels 242f.  
 cyclic units, ultramafic zones of magma chambers 312f.
- Dacite** 22, 26  
 dacite tephra 102f.  
 decrepitation clusters, quartz fluid inclusions 417f.  
 deformation, Glarus thrust 293f.  
 deformation features, klippe 441f.  
 dehydroxylation, combustion metamorphism 565f.  
 delamination, clay dehydroxylation 565  
 density evolution, magma chamber 317f.  
 detrital tourmalines, source rocks 213  
 devolatilization, subduction 341f.  
 D/H, Glarus thrust sheet silicates 300  
 differentiation, Hekla magma 20f.  
 diffusion, C in graphite 38  
 diffusion models 546f.  
 diopside 84, 256, 267, 331, 362, 385, 478  
 Dodson equation, diffusion 544  
 dolerite dykes 67  
 dolomite 345  
 dolomite marble 84  
 donbassite 281f.  
 dravite 212
- Eclogites** 261f.  
 -, fluid variability 341f.  
 eclogite types, D'Entrecasteaux Islands 464  
 edenite 11  
 elbaite 212  
 E-MORB 230  
 end-member magmas, Gran Canaria 12  
 epidote 49, 179, 345  
 eruptions, Hekla 21  
 Eu anomalies, Lanai tholeiites 530f.  
 eucrite 243  
 exsolution mechanism, amphiboles 191  
 exsolution microstructures, amphiboles 180f.
- Fast grain boundary interdiffusion** 546f.  
 fault zones, ductile, metasomatism 149f.  
 fenite 254  
 fertilization 258  
 ferroglaucophane 178  
 fiamme 3  
 fluid activity calculations, eclogites 348f.  
 fluid composition calculation, metasomatism 160f.  
 fluid density, metamorphic quartz 420, 424  
 fluid flow, ductile fault zones 149f.
- , Glarus thrust 308  
 fluid inclusions, eclogite minerals 352  
 -, gabbro minerals 430f.  
 -, granulite facies rocks 393f.  
 -, Malenco diopside 335  
 -, metamorphic quartz 414f.  
 fluid infiltration, syn-metamorphic 486  
 fluid migration, metamorphic terrain, C-O isotope evidence 475f.  
 fluid-rock interactions, granite alteration 289f.  
 fluids, gabbro pegmatite 429f.  
 -, REE mobility 77f.  
 fluid variability, eclogites 341f.  
 fluorite 281, 373  
 flysch 294  
 forsterite 84  
 fractional crystallization, Aleutian lavas 113f.  
 -, olivines, Baffin lavas 236  
 fractionation, Lanai lava minerals 530  
 fractionation density, magma chamber 315
- Gabbro** 243  
 gabbroic pegmatites 429f.  
 garnet 49, 152, 179, 263f., 344f., 394, 464f., 504f.  
 -, grosspyrite 359f.  
 garnet zonation, peridotite xenoliths 134f.  
 geikielite 84  
 geochronology, Briançonnais 443f.  
 geothermobarometry, grosspyrite 364f.  
 geothermometry, C isotope partitioning between graphite and calcite 35f.  
 -, Glarus thrust 302  
 -, O isotopes, grosspyrite 358f.  
 glass, fluid-filled bubbles 495f.  
 -, picrites 231f.  
 -, rhyolitic 5f.  
 -, tephra 109f.  
 glaucophane 178f.  
 globules, glass 495  
 glomerocrysts 221  
 gneiss 47f., 67, 152, 262f., 371f., 394, 468  
 gradient characteristics, garnet zonation 136f.  
 grain boundary models, diffusion 546f.  
 granite 166f., 372, 394  
 -, alteration, hydrothermal 279f.  
 granite-greenstone terrain, Finland 67  
 granitoids, Japan arc 166f.  
 granodiorite 67, 166, 394  
 granulites 394f.  
 graphite, C isotopes 480f.  
 graphite/calcite/CO<sub>2</sub>, C isotope partitioning 35f.  
 greenstone belts, Finland 67  
 greisen 279f.  
 grosspyrite, O isotope thermometry 358f.  
 grossular 373, 385
- Harzburgite**, garnet zonation 139  
 Hawaiian tholeiites, geochemical heterogeneity of sources 537f.  
 heazlewoodite 331  
 hedenbergite 256, 373
- hercynite 247  
 high-alumina basalts 501f.  
 -, generation models 502  
 high-MgO basalts 501f.  
 H<sub>2</sub>O, solubility in melts 490f.  
 H<sub>2</sub>O activity ratios, eclogites 349  
 hornblende 103f., 152, 178, 221, 264, 434  
 hotspot volcanism, Hawaii 320f.  
 hydrothermal alteration, granitic cupola 279f.  
 -, oceanic basalts 119f.  
 hypersthene 103f.
- Idocrase** 373, 385  
 ignimbrite 2f.  
 ijolite 254  
 ilite 281, 580  
 illite/smectite mixed layer 293  
 imenite 68, 267  
 immiscibility, fluid inclusions in metamorphic quartz 414f.  
 incompatible elements, Lanai lavas 529  
 -, silicic tephra 110  
 index minerals, Connecticut Valley metamorphism 478f.  
 infiltration front, metamorphism 59f.  
 intercumulus spinels, Skye layered intrusions 249f.  
 interdiffusion, models 544f.  
 intergrain diffusion, clay combustion 566f.  
 intergrowths, amphiboles 181f.  
 island arc magmas, amphiboles 101f.  
 isotope diffusion, intercrystalline 543f.  
 isotope fractionation, C between CO<sub>2</sub>/calcite/graphite 37f.  
 isotope systematics, Hawaiian lavas 522  
 isotopic equilibration, metamorphism 485
- Kaolinite** 281f., 560  
 K-feldspar 49, 152, 280, 373, 560  
 klippe, displacement 439f.  
 komatiites, Nd-O isotope data 66f.  
 KTB pilot hole, Bavaria, metabasites 261f.
- kyanite 265  
 -, eclogites 464  
 -, grosspyrite 359
- Lamellae**, amphibole exsolution 182f.  
 lavas, Baffin Bay 230f.  
 -, Hekla 21f.  
 -, Lanai 520f.  
 La/Y, silicic tephra 106  
 layered gabbro, volatiles 429f.  
 layered intrusions, cyclic units 312f.  
 -, ultrabasic, Cr-spinels 242f.  
 lepidolite 280  
 leucogranite 48, 67  
 Li-donbassite, thermodynamic stability 286f.  
 liquid-augite relations, basalts 197f.
- Magma chamber**, crystallization 312f.  
 -, Hekla 20, 31  
 magma chamber formation, models 313

- magma chamber zonation, Gran Canaria 16f.  
 magma mixing 18f.  
 -, Aleutian lavas 113f.  
 magmas, primary, Hawaii 533  
 magmatism, Aleutians 101f.  
 -, Japan 166f.  
 magnesioriebeckite 178  
 magnesite 345  
 magnetite 68, 249, 331  
 malayite 373  
 mantle plume, Baffin Bay 239  
 mantle wedge 342  
 mantle xenolith, P-T estimates 358f.  
 marble 48, 467  
 -, O isotope variation 56f.  
 marble mylonite 440  
 mass balance calculation, magma chamber 316  
 melilite 385  
 melting, basalts 196f.  
 -, combustion metamorphism 558f.  
 melt viscosity, influence of water 490  
 merwinite stability 385f.  
 metagabbro 262f.  
 metamorphic fluids, infiltration models 59f.  
 -, peridotite serpentinization 329f.  
 metamorphic zones, Connecticut Valley carbonate rocks 477f.  
 metamorphism, Calabria 393f.  
 -, East Humboldt Range 47f.  
 -, komatiites, Nd-O isotope data 66f.  
 -, low-grade, tourmalines 203f.  
 -, Montagne Noire 371f.  
 -, multistage, metabasites 261f.  
 -, Tauern eclogites 341f.  
 metasomatism, ductile fault zones 149f.  
 -, pyroxenite 254f.  
 -, tonalite alteration 64f.  
 micas 257  
 -, metamorphic, geochronology 439f.  
 microthermometry, Calabrian metapelites 395f.  
 -, Malenco serpentinite 336  
 -, metamorphic quartz 420f.  
 -, Skaergaard gabbro 430f.  
 migmatite 372  
 miscibility gap, amphiboles 192  
 mixing processes, magmas 15  
 mobility, grain boundary 547  
 monticellite 385f.  
 monzogranite 48  
 MORB types 230  
 mullite 560  
 muscovite 204, 281f., 297, 560  
 mylonite 295
- NaAlSi<sub>3</sub>O<sub>8</sub>** melt, H<sub>2</sub>O solubility 490f.  
 Na/Ca-amphiboles, coexisting 189f.  
 Na-phlogopite 410  
 Na-poor eclogites 464f.  
 Nd isotope data, Aeolian Isl. 454f.  
 -, Hekla volcanics 24f.  
 -, komatiites 66f.  
 -, Nevada volcanics 223f.  
 Nd-Sr isotope data, silicic tephra 111  
 necklace garnets 266  
 nepheline 257  
 nepheline syenite 254
- N-MORB** 230
- O isotope data, altered granite minerals** 282f.  
 -, grosspyrite minerals 360f.  
 -, meta-komatiites 76  
 -, metasediments 48f.  
 O isotope profile, Giarus thrust 298f.  
 O isotope variations, metasediments 56f.  
 olivocase 31f., 465  
 olivine 22, 139, 198, 221, 243f., 314f., 330f., 434, 501f., 522  
 -, altered basalt 119f.  
 olivine andesite 220  
 olivine-liquid reaction, high-alumina basalts 503f.  
 olivine norite 173  
 olivine phenocrysts 231  
 omphacite 266f., 344f., 464f.  
 orthoclase 434  
 orthoclase stability 268  
 orthopyroxene 105, 220, 243, 251, 314f., 408f., 465, 504f.
- Paragonite** 179, 345  
 paralava 558f.  
 pargasite 84f.  
 -, dehydration 408f.  
 -, stability, opx-presence 405f.  
 partial melting, Baffin lavas 238  
 -, Lanai tholeiites 532f.  
 -, pargasite 410f.  
 Pb isotope data, Aeolian Isl. 454f.  
 -, Nevada volcanics 223f.  
 pentlandite 331  
 peridotite 243  
 -, serpentinization 329f.  
 -, xenoliths, garnet zonation 134f.  
 permeability, ductile fault zones 159  
 phase equilibria constraints, basalt melting 198f.  
 phengite 343, 345, 465  
 phenocryst accumulation, Lanai tholeiites 531  
 phenocrysts, Aleutian tephra 104f.  
 -, Gran Canaria volcanics 31f.  
 phlogopite 84  
 phyllite 204  
 phyllosilicates, hydrotherm. altered basalts 119f.  
 picrites 231f.  
 picrochromite 247  
 pillow lavas 120  
 pistacite 373  
 plagioclase 21, 22, 49, 68, 84, 105, 121, 152, 198, 204, 221, 231, 243, 252, 264f., 373, 394, 430, 502, 524  
 -, REE contents, komatiites 74  
 plagioclase assimilation, Lanai tholeiites 531  
 post-cumulus mineral-melt reactions, ultrabasic rocks 243f.  
 prasinite 344  
 pyrite 123, 296  
 pyrochlore 281  
 pyrometamorphism 558f.  
 pyrophyllite 281f., 560  
 pyroxenite, metasomatic alteration 254f.  
 pyrrhotite 204, 359
- Quartz** 49, 152, 179, 204, 220f., 264f., 280f., 297, 361, 373, 386, 394, 434f., 560  
 -, fluid inclusion types 416  
 -, metapelites, fluid incl. 398f.  
 -, metasediments, O isotope data 51f.  
 quartz garnetite 468  
 quartzite 48, 204
- Rb-Sr data, micas, Gummfluh klippe** 443  
 REE, chilled margins, Baffin lavas 234  
 -, Lanai lavas 523f.  
 -, meta-komatiites 71f.  
 -, zirconolite 91  
 re-equilibration, fluid inclusions 414f.  
 reinjection, magma chamber 314f.  
 rhyodacite 220  
 rhyolite 21f., 211f., 166, 220, 452  
 -, evolution from dacite 30f.  
 riebeckite 178  
 ring intrusions, Skye 243  
 rodingite 330  
 rutile 84, 204, 345
- Sandine** 221  
 -, grosspyrite 359f.  
 saponite 122f.  
 scapolite 49, 465  
 scheelite, gneiss 371f.  
 -, solubility 378f.  
 schorl 212  
 seamounts, Tyrrhenian Sea 451  
 segregations, eclogites 345  
 sericite 373  
 serpentinization, fluid reduction 329f.  
 shales, combustion metamorphism 558f.  
 shield volcanoes 2f.  
 -, Hawaii 521  
 silicate melts, H<sub>2</sub>O solubility 490f.  
 sillimanite 152, 265, 394  
 -, metapelites, fluid inclusions 398f.  
 smectite/illite 560  
 Sm-Nd isotope data, meta-komatiites 75  
 solid solutions, amphiboles 178f.  
 solubility models, water in Ab melts 498f.  
 spessartine 269  
 spinel 84, 255f., 504f.  
 -, layered intrusions 242f.  
 -, seams, Skye layered intrusions 244f.  
 spinifex textures, komatiites 68  
 spurrite 385  
 Sr isotope data, Aeolian volcanics 454f.  
 -, Giarus thrust 300  
 -, Hekla volcanics 24f.  
 -, Nevada volcanics 223f.  
 Sr-Nd isotopes, regional variations, granitoids 167f.  
 staurolite 204  
 stylolites 296  
 subduction-related magmatism 501f.  
 subduction zones, volcanism 501f.  
 substitution, amphiboles 185f.  
 symplectite, opx-plagioclase 264f.  
 system, CaO-MgO-SiO<sub>2</sub>-H<sub>2</sub>O-CO<sub>2</sub> 385f.

Taenite 332  
 talc, altered basalt 127  
 tantalite 261  
 tectonism, Giarus Alps 294f.  
 tephra 21f.  
 —, evolution, Adak 102ff.  
 tholeiite 522f.  
 thrust deformation, Alps 293ff.  
 Th/U, Hekla volcanics 24f.  
 Ti, hydrothermal vein 83f.  
 tillite 385f.  
 titanite 83f., 288, 373  
 titanomagnetite 103  
 tonalite 84, 169, 394  
 topaz 280  
 tosudite 281f.  
 tourmaline, metasediments 203f.  
 trace elements, Aeolian volcanics 453f.  
 —, Aleutian tephra 106f.  
 —, Hekla volcanics 26f.

—, Lanai lavas 523f.  
 —, picrite chilled margins 233f.  
 trachyandesite 5f.  
 trachyphonolite 2f.  
 trachyte 2  
 tremolite 331, 478  
 tridymite 560  
 troctolite 246  
 tuff, Gran Canaria 3ff.

Ulvospinel 247  
 U—Th disequilibria, Hekla magma  
 differentiation 23ff.  
 uvite 212

Vein, hydrothermal, Ti-rich 83f.  
 viscosity, magmas 12  
 vitrophyre 2  
 volatiles, gabbro 429f.  
 volcanic arcs 501f.

volcanism, Aeolian Isl. 450f.  
 —, Hekla 21ff.

W, metasomatic transport 371f.  
 wedge source model, high-alumina  
 basalts 502  
 winchite, exsolution structure 181ff.  
 wollastonite 395

Xenoliths, metasomatic alteration 254f.

Zeolites, altered basalt 131  
 zircon 261  
 zirconolite 83ff.  
 zoisite 289, 343  
 zonation, garnets in metagabbros 269  
 —, garnets in peridotites 134ff.  
 zoning, rhyolitic feldspars 11f.  
 —, tourmalines 207

## List of locations

Adagdak, Adak 108  
 Adak, Aleutians 103  
 Adamello, N-Italy 84  
 Aeolian Isl., Italy 451  
 Agate, Gran Canaria 2  
 Aleutians, Alaska 102  
 Alicudi, Aeolian Isl. 451  
 Amukta Basin, Aleutians 103  
 Anden Verde, Gran Canaria 2  
 Andreanof Block, Aleutians 102  
 Avalon Terrane, Connecticut 152

Baffin Bay, Canada 231  
 Baffin Island, Canada 231  
 Bohemian Massif 262  
 Broken Hill, New South Wales 156  
 Butte Mts., Nevada 219  
 Bwebweso, Normanby Isl. 464

Canary Isl., Atlantic 2  
 Carpathians 415  
 Chugoku, Japan 166  
 Confusion Range, Utah 219  
 Connecticut Valley Trough, Vermont 476  
 Costa Rica Rift 120  
 Crestmore, California 385  
 Cuillin Complex, Skye 243

Delarof Block, Aleutians 102  
 D'Entrecasteaux Isl., New Guinea 464

East Humboldt Range, Nevada 47  
 Echassières, Massif Central 260  
 Eclogite Brook, Vermont 179  
 Egan Range, Nevada 219  
 Eisee, Tauern 343  
 Erbendorf, Bohemian Massif 262

Faeroe Isl., N-Atlantic 231  
 Farmington Quadr., Maine 204  
 Ferguson Isl., New Guinea 464  
 Filicudi, Aeolian Isl. 451  
 Finero, Ivrea Zone, Alps 154  
 Frohnitztal, Tauern 343

Glarus Alps, Switzerland 294  
 Goodenough Isl., New Guinea 464  
 Gran Canaria, Canary Isl. 2

Grau Berg, Glarus Alps 294  
 Great Sitkin, Aleutians 103  
 Grimsel, Aar-Naseif, Alps 156  
 Gügüi Area, Gran Canaria 2  
 Gummfluh Klippe, Préalpes, Switzerland 440

Hekla Volcano, Iceland 21  
 Helvetic Alps, Switzerland 440  
 Hogarzales Area, Gran Canaria 2  
 Hunts Brook Zone, Connecticut 152

Kaimling, Bohemian Massif 262  
 Kalamau, Lanai 521  
 Kanaga, Aleutians 103  
 Kangerdlugssuaq Complex 429  
 Kap Edward Holm Complex 429  
 Klenovec, Carpathians 415  
 Kuhmo Greenstone Belt, Finland 67  
 Kurada, Normanby Isl. 464  
 Kyushu, Japan 166

Lamoille Canyon, Nevada 47  
 Lanai, Hawaii 521  
 Lipari, Aeolian Isl. 451  
 Lizzies Basin, Nevada 47  
 Lochseite, Glarus Alps 294

Maitolo, Ferguson Isl. 464  
 Malenco, Central Alps 330  
 Margna Nappe, Central Alps 330  
 Maui Volcanic Complex, Hawaii 521  
 Maunalei, Lanai 521  
 Montagne Noire, France 372  
 Morima, Ferguson Isl. 464  
 Mt. Moffett, Adak 108  
 Münchberg Nappe, Bavaria 262

Nagasugloquidian Belt, Greenland 154  
 Normanby Isl., New Guinea 464

Oiatabu, Ferguson Isl. 464  
 Oki Dogo, Japan 166  
 Okmok Volcano, Aleutian Isl. 503  
 Oldoinyo Lengai, Tanzania 254

Padioping Isl., Baffin Bay 231  
 Palawai Caldera, Lanai 521

Panarea, Aeolian Isl. 451  
 Piz Dof, Glarus Alps 294  
 Pizol, Glarus Alps 294  
 Posiwa, Lanai 521  
 Powder River Basin, Wyoming 559  
 Prevost, Normanby Isl. 464

Raneburg, Tauern 343  
 Re di Castello Massif, Adamello 84  
 Reykjanes Rift Zone, Iceland 21  
 Roberts Victor Mine, Kimberley 359  
 Rockall Plateau, N-Atlantic 231  
 Ryoke Belt, Japan 166

Salina, Aeolian Isl. 451  
 San'in Belt, Japan 166  
 San Nicolas, Gran Canaria 2  
 Sanuki, Japan 166  
 San'yo Belt, Japan 166  
 Segnas, Glarus Alps 294  
 Serre, Calabria 394  
 Shikoku, Japan 166  
 Shodoshima, Japan 166  
 Siivikkovsara, Finland 67  
 Skaergaard Intrusion, Greenland 429  
 Skye, Scotland 243  
 Sondrio, N-Italy 330  
 Stillwater, Montana 321  
 Store, Greenland 154  
 Stromboli, Aeolian Isl. 451  
 Suretta, Central Alps 330  
 Surtsey, Iceland 21

Tauern Window, Austria 343  
 Tejada Caldera, Gran Canaria 2  
 Tirschenreuth-Mähring Zone, Bavaria 262  
 Torfajökull, Iceland 21  
 Trobriand Isl., New Guinea 464

Umnak Plateau, Aleutians 103

Verrucano, Alps 294  
 Vulcano, Aeolian Isl. 451

Wawaaku, Lanai 521  
 Windischeschenbach, Bavaria 262

